



DESCRIPTION

Heavy duty AHD mini substructure (vertical) & top (horizontal) mounting camera

Features

- 2.0 1/3" SONY CMOS HD Color Sensor 1080P
- 1920x1080 resolution
- Vibration & impact resistant housing
- IP69K Waterproof rating
- 160 degrees lens
- WDR (Wide Dynamic Range)
- High End Night View (0.03Lux) without LEDs
- Anti-glare & ghost
- Voltage range (10V-24V)
- Extreme Temp. Durability
 - Operating: -30°C ~ 60°C
 - Storing Temp. : -40°C ~ 80°C
- 4-pins Mini connector to RCA
- Front & rear mounting wire
- CE-mark
- FCC-mark
- 2 Year warranty & Support

EXCLUSIVE CAMERA FEATURES


SONY CCD

High End 1/3" SONY CMOS HD Color Sensor with 1920x1080resolution

The Sony logo, consisting of the word "SONY" in a bold, uppercase, sans-serif font.

Front & Rear mounting

Front & Rear mounting wire



Ignition Power proof (+15)

It is possible to connect the powersupply to an ignition feed (+15), because we use the highest quality camera.

In this way you are able to watch the camera also in DRIVE gear or via manual selection.

NOTES

- We recommend that the installation will be performed by a qualified specialist
- Check also the other tabs for "Compatibility" - "Package contents" - "Product specifications"

LEGAL NOTICE

Please check before purchase if it is aloud to install this camera and it wont affect your MOT.



COMPATIBILITY

Universal use
Rear & Front installation

NOTES

- RCA output = male
- CVBS signal is NTSC