

Universal roof mount camera NTSC; IR leds; black (mirror)

Art. Nr: CAM-UNI-08B

General:

This reversing camera is specially designed for roof mounting. The Sony CCD camera can easily be installed via the included mounting bracket. The camera is waterproof according to the IP68 certification level.

Features:

- 1/3" SONY CCD lens
- Lens angle 120°D; 100°H; 70°V
- Waterproof according to IP68 certification level

The following is provided in the set:

- Roof mount camera NTSC
- Installation manual
- Invoice
- Warranty 2 year

Additional information:

- With a multimedia interface or video interface it is possible to connect the camera with the original navigation system, ask for the possibilities.

Technical features:

- IP rating: IP68 (Water proof)
- Image Sensors : Colour 1/3"SONY OV7690
- TV System: NTSC
- Effective Pixels: NTSC 668x576
- Electronic shutter: 1/60 (1/10,000second)
- Horizontal Resolution: 480 TV Line
- Video output: 1Vp-p,75Ohm

- Gamma Consumption: 0.45
- White Balance: Automatic
- Auto Gain Control: Automatic
- Back Light Compensation: Automatic
- S/N Ratio: Better than 48dB
- Lens Angle: 170°D; 80°H; 55°V (Degrees)
- Current Consumption: 150mA
- Power Supply: DC +12V (10%)
- Operating Temperature: -20 C to +70 C
- Storage Temperature : -40 C to +80 C
- Connection: Cinch
- Image: Mirror

Measurements:

- Length: 231mm
- Width: 198mm
- Depth: 111mm

The camera is suitable for:

Citroën Jumper
Fiat Ducato
Ford Transit
Mercedes Sprinter
Mercedes Vito
Opel Movano
Peugeot Boxter
Renault Master
Volkswagen Crafter
Volkswagen T5

Installation examples:

