


## AMI interface for Audi with MMI 2G high MOST (iPod & USB)

Art. Nr: IP2-AMI-2G

---

### General

The Audi AMI Car kit allows you to connect your iPod & USB to your Audi MMI High 2Gsystem without any loss of sound quality!! Simply perfect CD quality sound all the time. It will also allow you to control your iPod through your factory MMI and steering wheel controls. The iPod & USB will be fully charged all the time while connected. You can select the iPod in the Audi MMI menu via "Audi Music Interface". You will find almost the complete iPod menu on the screen in Audi MMI menu style.



### Features:

- # Connect your iPod to your factory fitted car stereo and enjoy perfect digital CD Quality Sound!
- # Also compatible with DSP, Bose & H&K
- # The iPod or iPhone will be fully charged all the time while connected
- # Last Memory function
- # Control the iPod & USB via MMI button and steering wheel
- # Plug and play Cable kit
- # Playlist / Album / Genres tekst on the screen
- # Full iPod menu on the screen in Audi style

### Screen shot FIS display:



Steering controls iPod:

- # Track+ and Track-
- # Volume +/-
- # Playlist selection
- # Repeat function
- # Random function
- # Rewind and Fast forward

### MMI iPod screen shots:



### Delivery Package:

- NavInc AMI interface: 1x
- Power cable: 1x
- iPod connector 30-pins: 1x
- USB dockcable: 1x
- Instructions
- Warranty
- Invoice

### **Extra information:**

- Connect original CD changer and iPod interface is possible
- Minimum MMI software version: 3640
- Connection of Denison Gateway 500 and the iPod interface is possible
- Connection of Multimedia AV interface and the iPod interface is possible
- Connection of the iPod interface and 2x6 OEM CD changer is possible

### **Product specifications:**

Voltage supply: 12V DC

Voltage-operating capacity: 10,5 - 14,8 V

Standby current: 7 mA

Operating current: 120 mA

Power input: 1,80 W

Temperature range: - 30°C up to + 80°C

Weight: 95g

Dimensions W x H x D: 90 x 35 x 65 mm

### **iPod / iPhone**

Compatible with the following iPod, iPad & iPhone generations:

- iPod 4.Generation
- iPod Nano 1st generation (1GB / 2GB / 4GB)
- iPod Nano 2nd generation (2GB / 4GB / 8GB)
- iPod Nano 3rd generation (4GB / 8GB)
- iPod Nano 4th generation (8GB /16GB)
- iPod Nano 5th generation (8GB / 16GB)
- iPod Nano 7th generation\*
- iPod Classic alle modellen (80GB / 120GB)
- iPod Classic 120GB / 160GB
- iPod Touch 1st generation
- iPod Touch 2nd generation (8GB / 16GB / 32GB)
- iPod Touch 3rd generation (32GB / 64GB)
- iPod Touch 5th generation\*
- iPod Shuffle (via aux input 3.5mm jack)
- iPhone
- iPhone 3G
- iPhone 3GS
- iPhone 4 (vanaf iOS 4.1)
- iPhone 4S

- iPhone 5\*
- iPhone 5C\*
- iPhone 5S\*
- iPhone 6\*
- iPhone 6S\*
- iPad 1/ 2 / 3 / Air\*

(\*Models with \* must have a Apple Lightning adapter from 30-pins to lightning(optioneel))



iPhone 3G/3GS iPhone 4G/4GS iPhone 5 Touch 2G/3G Touch 4G Touch 5G



Nano 3G Nano 4G Nano 5G Nano 6G Nano 7G iPad 1/2/3

**USB:**

- Compatible with USB 2.0 (max 32GB)
- Tested with the following brands: Corsair (16GB) - Sandisk - PNY - Crucial Patriot - Kingston
- Max size of MP3 file is 100MB

**Car models:**

The interface is compatible with the following car models:

- A4 (8K) 2007-2009
- A5 (8T) 2007-2009
- A6 (4F) 2004-2009
- A8 (4E) 2002-2009
- Q7 (4L) 2006-2009

\*Alleen in combinatie met MMI HIGH 2G navigatiesysteem.

**Note:**

- Connecting original 6CD changer in combination with interface is possible.
- Connecting original 12CD changer in combination with interface is not possible. CD changer must be removed.
- Minimum MMI software version: 3640
- Apple devices with Lightning connector needs an adapter from 30-pins to lightning (not included)
- Connection of Multimedia AV interface and the iPod interface is possible
- Connection of the iPod interface and 2x6 OEM CD changer is possible