


## **Brake light camera Toyota Pro-ace\_Jumpy\_Expert 2007-2016 (NTSC)**

**Art. Nr:** CAM-PSA-BRP

---



### **DESCRIPTION**

---

#### **General**

Brake light Sony camera Toyota Pro-ace\_Jumpy\_Expert 2007-2016 (NTSC) with SONY CCD lens.

#### **Features**

- Sony CCD Lens
- Resolution 976 x 494 pixels (NTSC)
- 650-700 TV lines
- IR-Leds
- Ignition Power proof (+15)
- IP68 Waterproof
- E-mark certification: E9-10R.05.1811
- CE-mark: EN 55022: 2010; EN 61000-3-2:2006+A1:2009+A2:2009; EN61000-3-3:2008; EN 55024:2010
- FCC-mark: ANSI C63.4-2003
- 2 Year warranty & Support

### **EXCLUSIVE CAMERA FEATURES**

---


#### **SONY CCD**

High End SONY CCD Lens, highest quality brake light camera lens in the market.

**SONY**


#### **Bulging auto correction**

Unwanted bulging in the camera image is automatically corrected.




### **Discoloration auto correction**

Unwanted discolorations in the camera image is automatically corrected.



### **Overlighting auto correction**

The appearance of a bright background or lamps in the camera image is automatically corrected.



### **Ignition Power proof (+15)**

It is possible to connect the powersupply to an ignition feed (+15), because we use the highest quality camera.

In this way you are able to watch the camera also in DRIVE gear or via manual selection.

### **NOTES**


---

- We recommend that the installation will be performed by a qualified specialist
- Check also the other tabs for "Compatibility" - "Package contents" - "Product specifications"

### **LEGAL NOTICE**

---

Please check before purchase if it is aloud to install this camera and it wont affect your MOT.



## **COMPATIBILITY**

---

### **CAR**

This camera is compatible with the following vehicles:

#### **Toyota**

ProAce <2016

#### **Peugeot**

Expert <2016

Traveller <2016

#### **Citroen**

Jumpy <2016

SpaceTourer <2016

Dispatch <2016

#### **Fiat**

Scudo <2016

## **NOTES**

---

- RCA output = male
- CVBS signal is NTSC