


Pre-Amplifier audio output interface for Audi MMI 2G (MOST)

Art. Nr: PRE-AMP-2G



DESCRIPTION


Fiber optic pre-amplifier for AUDI MMI 2G, MMI Basic & Basic+. The device allows you to replace the original audio amplifier by any analog amplifier. It allows you to get 6-channel analog audio from the MOST network. It fully integrates with the MOST optical system. The use of appropriate connections allows for quick and easy connection to the car's installation.

Features

- Communication over the MOST fiber optic bus
- PReplaces the factory amplifier
- Control of audio parameters (gain, balance, tone, fader)
- iSix audio channels OUT (FR, FL, RR, RL, central, subwoofer)
- Support for sound channels telephone, navigation etc. from the MMI
- Adapter Audio Audio OUT for Audi MMI 2G/Basic/Basic+.
- Easy installation

NOTES

- We recommend that the installation will be performed by a qualified specialist
- Check also the other tabs for "Compatibility" - "Package contents" - "Product specifications"



COMPATIBILITY

Suitable for the following vehicles:

Audi A4 8K

Audi A5 8T

Audi A6 4F

Audi A8 4E

Audi Q7 4L

(with below head-unit)

Head-unit

Suitable for the following radio- navigation system:

Audi MMI 2G

Audi MMI Basic

Audi MMI Basic+.

