


## Heavy duty mini bracket HD camera; front/rear; 1280\*960 MSL connector (NTSC)

Art. Nr: CAM-HD-Q2MD

---



### DESCRIPTION

---

Heavy duty HD mini substructure (vertical) & top (horizontal) mounting camera

### Features

- 1/3" SONY CMOS HD Color Sensor
- Vibration & impact resistant housing
- IP69K Waterproof rating
- 150 degrees lens
- WDR (Wide Dynamic Range)
- High End Night View (0.03Lux) without LEDs
- Anti-glare & ghost
- Voltage range (10V-24V)
- Extreme Temp. Durability
  - Operating: -30°C ~ 60°C
  - Storing Temp. : -40°C ~ 80°C
- 4-pins Mini connector to RCA
- Front & rear mounting wire
- CE-mark
- FCC-mark
- 2 Year warranty & Support

### EXCLUSIVE CAMERA FEATURES

---


#### SONY CCD

High End 1/3" SONY CMOS HD Color Sensor with 1280\*960 resolution

# SONY

## Front & Rear mounting

Front & Rear mounting wire



## Ignition Power proof (+15)

It is possible to connect the powersupply to an ignition feed (+15), because we use the highest quality camera.

In this way you are able to watch the camera also in DRIVE gear or via manual selection.

## NOTES


---

- We recommend that the installation will be performed by a qualified specialist
- Check also the other tabs for "Compatibility" - "Package contents" - "Product specifications"

## LEGAL NOTICE

---

Please check before purchase if it is aloud to install this camera and it wont affect your MOT.



## **COMPATIBILITY**

---

Universal use  
Rear & Front installation

## **NOTES**

---

- RCA output = male
- CVBS signal is NTSC