

# NAVcam

heavy duty cameras



## DESCRIPTION

Heavy duty mini HD camera substr/top mounting camera; 960\*480; IP69K (NTSC)

## Features

- 1/4" SONY CMOS HD Color Sensor
- Vibration & impact resistant housing
- IP69K Waterproof rating
- 160 degrees lens
- WDR (Wide Dynamic Range)
- High End Night View (0.02Lux) without LEDs
- Anti-glare & ghost
- Voltage range (10V-24V)
- Extreme Temp. Durability
  - Operating: -30°C ~ 70°C
  - Storing Temp. : -40°C ~ 80°C
- 4-pins Mini connector to RCA
- Parking guide lines wire (ON / OFF)
- Substructure (vertical) & top (horizontal) mounting wire
- CE-mark
- FCC-mark
- 2 Year warranty & Support

## EXCLUSIVE CAMERA FEATURES

### SONY CCD

High End 1/4" SONY CMOS HD Color Sensor with 960\*480 resolution


# SONY

### Parking Guide line

Parking guide line ON/OFF wire

### Horizontal/Vertical mounting

## Horizontal or vertical mounting wire



### Ignition Power proof (+15)

It is possible to connect the powersupply to an ignition feed (+15), because we use the highest quality camera.

In this way you are able to watch the camera also in DRIVE gear or via manual selection.

### NOTES

---

- We recommend that the installation will be performed by a qualified specialist
- Check also the other tabs for "Compatibility" - "Package contents" - "Product specifications"

### LEGAL NOTICE

---

Please check before purchase if it is aloud to install this camera and it wont affect your MOT.

**NAVcam**  
heavy duty cameras

### COMPATIBILITY

---

Universal use  
Only for rear installation

### NOTES

- 
- RCA output = male
  - CVBS signal is NTSC