

**NAVcam**  
heavy duty cameras

## DESCRIPTION

---

Professional Heavy duty AHD Triple monitor.  
Support AHD 720P & AHD1080 cameras, not compatible with CVBS cameras


## Features

- # 7" Digital Color TFT-LCD - 500cmd 1024x600 (16:9)
- # Refined, but rugged mechanical design
- # Anti-glare protective window sheet with low color distortion
- # View image switching mode (Normal/Mirror)
- # Dimmer by CDS sensor (LCD brightness adjustment)
  - On
  - Off
  - Automatic
- # Free Voltage in Input Power
- # Built-in circuit protection chipset
- # LED buttons to improve visibility of the operation in dark or night
- # Automatic Parking Line display by Trigger On
  - Parking Guide Line Adjustable manually (Up & Down, Left & Right)
  - Parking Guide Line displaying CH selectable
  - Parking Guide Line display ON/OFF
- # Sun-visor attachable (optional)

## EXCLUSIVE FEATURES

---

## KEY & FUNCTION



POWER




CAM1 - CAM2 - CAM3



CAM1 - CAM2 - CAM3



MENU : FUNCTION, PICTURE, CAMERA, CAMERA, CAMMODUS



AUTO LCD BRIGHTNESS SENSOR



MANUAL LCD BRIGHTNESS SENSOR



VOLUME DOWN & UP



## OSD MENU

FUNCTION	
DIMMER	AUTO
LANGUAGE	ENGLISH
RESET	▶

FUNCTION

DIMMER  
LANGUAGE  
RESET

AUTO /OFF  
ENGLISH/DEUTSCH/ITALIAL/FRANCAIS/ESPAÑON/DUTCH/SUDMI/SWEDISH  
>

PICTURE	
CONTRAST	50
BRIGHTNESS	50
COLOR	50
TINT	50
SHARPNESS	30

PICTURE

CONTRAST  
BRIGHTNESS  
COLOR  
TINT  
SHARPNESS

0 - 100  
0 - 100  
0 - 100  
0 - 100  
0 - 60

CAMERA	
CAM 1 SCAN	3
CAM 2 SCAN	3
CAM 3 SCAN	3
CAM 1 TRIG	3
CAM 2 TRIG	3
CAM 3 TRIG	3

CAMERA

CAM 1 SCAN  
CAM 2 SCAN  
CAM 3 SCAN  
CAM 1 TRIG  
CAM 2 TRIG  
CAM 3 TRIG

0 - 9  
0 - 9  
0 - 9  
0 - 9  
0 - 9  
0 - 9

CAMERA	
CAM 1 N/M	NORMAL
CAM 2 N/M	NORMAL
CAM 3 N/M	NORMAL
CAM 1 DIST	ON
CAM 2 DIST	OFF
CAM 3 DIST	OFF

CAMERA

CAM 1 N/M  
CAM 2 N/M  
CAM 3 N/M  
CAM 1 DIST  
CAM 2 DIST  
CAM 3 DIST

NORMAL/MIRROR  
NORMAL/MIRROR  
NORMAL/MIRROR  
ON/OFF (PARKING GUIDE LINE ON/OFF)  
ON/OFF  
ON/OFF


CAM/MODUS	
CAM 1	ON
CAM 2	ON
CAM 3	ON

CAM/MODUS

CAM 1  
CAM 2  
CAM 3

ON/OFF  
ON/OFF  
ON/OFF

## PARKING GUIDE LINE



- PRESS "MENU" BUTTON.
- GO TO THE END OF THE LAST MENU(CAM/MODUS) AND THEN PRESS "MENU" ONCE AGAIN.
- PARKIGN GUIDE LINE IS DISPLAYED.
- SELECT A DESIRED LINE TO ADJUST; LEFT, RIGHT, UP OR DOWN BY "SCAN/CA.SEL" BUTTON.
- THE SELECTED LINE IS CHANGED INTO RED COLOR.
- ADJUST THE LINE BY "VOLUME" BUTTON.

## NOTES

---

- We recommend that the installation will be performed by a qualified specialist
- Check also the other tabs for "Compatibility" - "Package contents" - "Product specifications"

## LEGAL NOTICE

---

Please check before purchase if it is aloud to install this camera and it wont affect your MOT.

**NAVcam**  
heavy duty cameras



## COMPATIBILITY

---

Universal use  
Only for rear installation

## NOTES

- 
- RCA output = male
  - CVBS signal is NTSC