

1. The top layer can hold accessories, and the bottom perfectly fits a jump starter. Specially designed for J401/J401X/J402/J1000/J1500/J2250/J3250. The jump starter has a dedicated slot and is thoroughly protected.

2. Made of rugged and durable EVA material, a hard EVA case + soft inner lining structure can effectively shield accidental collisions, dents, and scratches and has a waterproof/shockproof/dustproof function. The water and dust resistance of it is IP65 rating, which provides your jump starter a shield from splash, drips and moisture during outdoor activities.

3. Non-slip Handle. The non-slip handle makes it easy to keep your jump starter and accessories together and take them everywhere. The top layer can hold accessories, and the bottom perfectly fits a jump starter. Specially designed for J401/J401X/J402/J1000/J1500/J2250/J3250. The jump starter has a dedicated slot and is thoroughly protected.

4. Perfect Craftsmanship. Heavy-duty reverse coil zipper secures the case, a built-in reinforced handle, and reinforced stitching at stress points for durability.

5. Fit for: Specially designed for J401/J401X/J402/J1000/J1500/J2250/J3250. The jump starter has a dedicated slot and is thoroughly protected.

Note: CASE ONLY. A jump starter is NOT included.



LOKITHOR

ALL can be **well-organized**

LOKITHOR LO-CASE003



**CLAMP & ACCESSORY
POCKET**

PROTECTIVE CASE FITS

- ◆ LO-J401
- ◆ LO-J401X
- ◆ LO-J402
- ◆ LO-J1000
- ◆ LO-J1500
- ◆ LO-J2250
- ◆ LO-J3250

* Jump starter & Accessories are Not Included



**Water-proof,
Shockproof & Dust-proof**

The water and dust resistance of LO-CASE003 is IP65 rating, that provides your jump starter a shield from splash, drips and moisture during outdoor activities.

**High-Quality EVA &
Soft Interior Lining**

Hard EVA case + soft inner lining structure, protects jump starter from dents, scratch and falls.



Perfect Craftsmanship

Heavy-duty reverse coil zipper secures the case, a built-in reinforced handle, and reinforced stitching at stress points for durability.

